



CULTIVACE MANGANESE

GUARANTEED ANALYSIS
Manganese (Mn) 5.0%

DERIVED FROM: Manganese Acetate

CAUTION: KEEP OUT OF THE REACH OF CHILDREN, HARMFUL IF SWALLOWED

This product is intended to prevent or correct a manganese deficiency.

9.85 lb/gal @ 68°F

COMPATIBILITY

This product is compatible with most pesticides, however, it is not possible to test all pesticide mixes. A jar test is recommended before use.

GENERAL USE RECOMMENDATIONS

DILUTION: Field and row crops: 3 to 20 gallons by air, 10 to 40 gallons by ground. Tree crops: concentrate 50 to 100 gallons, dilute 100 to 500 gallons.

NET CONTENTS 2.5 GALLONS (9.46 L)

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>



PRECAUTIONARY STATEMENTS



Warning : Causes skin irritation. Causes eye irritation. May cause respiratory irritation.

Prevention : Wear protective gloves. Wear eye or face protection. Avoid breathing vapor.

Response : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

Storage : Store locked up.

Guaranteed by KWS Distributing LLC.
17887 SE Grand Island Rd.
Dayton, Oregon 97114

SUGGESTED USES: (rates per acre) Crops such as, but not limited to:

Alfalfa and clover grown for seed :: 1- 4 pints at bud stage and full bloom.

Apples, cherries, peaches, almonds, walnuts, pears, stone, pome fruits, citrus and nuts :: 1 - 4 pints per acre at bud break, full bloom and post harvest.

Barley, oats, wheat, rice, and other small grains :: 1 - 4 pints - Apply at tillering, early boot and flag leaf emergence.

Beans, peas and other legumes :: 1 - 3 pints - Apply at early bud, repeat after bloom.

Cabbage, broccoli, carrots, onions, tomatoes and other vegetables grown for seed :: 1 - 4 pints - Apply at bud stage, full bloom and 2 weeks later.

Corn, field and sweet :: 1 - 4 pints - Apply at tassle emergence and 2 - 4 weeks as needed.

Sugar Cane: 1—4 pints per acre.

Grapes :: 1 - 4 pints - Apply dormant, pre-bloom and post-bloom as needed.

Hops :: 1 - 4 pints

Hazelnuts, pistachios, other deciduous trees :: 1 - 4 pints - Apply at bud break. Repeat every two trees to three weeks and post harvest.

Potatoes :: 1 - 4 pints - Apply at tuber initiation, repeat in 2 - 4 week intervals.

Raspberries, blueberries, strawberries, blackberries :: 1 - 3 pints - Apply pre bloom repeat every 2-4 weeks.

Grasses grown for seed :: 1-4 pints. Apply at leaf, early boot and flag leaf emergence.

NOTICE Manufacturer makes no warranties, expressed or implied. The buyer assumes all risks associated with the use of this product. In the event of damage resulting from a breach of warranty, the buyer agrees to accept a refund of the purchase price as full discharge of the manufacturers liability.

Rev. 070517

CULTIVACEGROWTH.COM
A KWS DISTRIBUTING COMPANY